

L Number	Hits	Search Text	DB	Time stamp
1	4833	711/3.ccls. or 711/133-136.ccls. or 711/144-145.ccls. or 711/152.ccls. or 711/159-160.ccls. or 711/163.ccls. or 711/205-207.ccls. or 711/221.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 13:26
2	2372	710/62-63.ccls. or 710/72-74.ccls. or 710/306.ccls. or 710/309.ccls. or 710/311-312.ccls. or 710/313.ccls. or 710/315.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 13:32
3	1070	709/250.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 13:34
4	1359	370/465.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 13:36
5	67163	(address\$3 near5 (translat\$3 or convert\$3 or conversion or map\$4)) or tlb or atu or (translation near3 buffer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 13:54
6	1318798	interfac\$3 or bridge or adaptor or adapter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 13:40
7	19323	(flush\$3 or discard\$3 or evict\$3 or castout or (write near2 back) or (copy near2 back or "copy-back")) same (bit or flag)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 14:48
8	76369	(protection or access\$3) with (tag or bit or flag or byte)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 13:56
9	1368	((flush\$3 or discard\$3 or evict\$3 or castout or (write near2 back) or (copy near2 back or "copy-back")) same (bit or flag)) same ((protection or access\$3) with (tag or bit or flag or byte))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 13:54
10	104	((flush\$3 or discard\$3 or evict\$3 or castout or (write near2 back) or (copy near2 back or "copy-back")) same (bit or flag)) same ((protection or access\$3) with (tag or bit or flag or byte)) same ((address\$3 near5 (translat\$3 or convert\$3 or conversion or map\$4)) or tlb or atu or (translation near3 buffer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 13:55
11	9532	(711/3.ccls. or 711/133-136.ccls. or 711/144-145.ccls. or 711/152.ccls. or 711/159-160.ccls. or 711/163.ccls. or 711/205-207.ccls. or 711/221.ccls.) or (710/62-63.ccls. or 710/72-74.ccls. or 710/306.ccls. or 710/309.ccls. or 710/311-312.ccls. or 710/313.ccls. or 710/315.ccls.) or 709/250.ccls. or 370/465.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 13:55

12	64	(((((flush\$3 or discard\$3 or evict\$3 or castout or (write near2 back) or (copy near2 back or "copy-back")) same (bit or flag)) same ((protection or access\$3) with (tag or bit or flag or byte))) same ((address\$3 near5 (translat\$3 or convert\$3 or conversion or map\$4)) or tlb or atu or (translation near3 buffer))) and ((711/3.ccls. or 711/133-136.ccls. or 711/144-145.ccls. or 711/152.ccls. or 711/159-160.ccls. or 711/163.ccls. or 711/205-207.ccls. or 711/221.ccls.) or (710/62-63.ccls. or 710/72-74.ccls. or 710/306.ccls. or 710/309.ccls. or 710/311-312.ccls. or 710/313.ccls. or 710/315.ccls.) or 709/250.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 13:55
14	83228	(protection or access\$3 or (read near2 only)) with (tag or bit or flag or byte)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 13:57
13	60	(((((flush\$3 or discard\$3 or evict\$3 or castout or (write near2 back) or (copy near2 back or "copy-back")) same (bit or flag)) same ((protection or access\$3) with (tag or bit or flag or byte))) same ((address\$3 near5 (translat\$3 or convert\$3 or conversion or map\$4)) or tlb or atu or (translation near3 buffer))) and ((711/3.ccls. or 711/133-136.ccls. or 711/144-145.ccls. or 711/152.ccls. or 711/159-160.ccls. or 711/163.ccls. or 711/205-207.ccls. or 711/221.ccls.) or (710/62-63.ccls. or 710/72-74.ccls. or 710/306.ccls. or 710/309.ccls. or 710/311-312.ccls. or 710/313.ccls. or 710/315.ccls.) or 709/250.ccls. or 370/465.ccls.)) and (@ad<=19991217 or @rlad<=19991217)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 14:49
16	20501	(flush\$3 or discard\$3 or evict\$3 or castout or (write near2 back) or (copy near2 back or "copy-back" or dirty)) same (bit or flag)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 14:48
17	10310	((address\$3 near5 (translat\$3 or convert\$3 or conversion or map\$4)) or tlb or atu or (translation near3 buffer)) same (interfac\$3 or bridge or adaptor or adapter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 14:49
18	499	((address\$3 near5 (translat\$3 or convert\$3 or conversion or map\$4)) or tlb or atu or (translation near3 buffer)) same (interfac\$3 or bridge or adaptor or adapter)) same ((protection or access\$3) with (tag or bit or flag or byte))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 14:49
19	24	((address\$3 near5 (translat\$3 or convert\$3 or conversion or map\$4)) or tlb or atu or (translation near3 buffer)) same (interfac\$3 or bridge or adaptor or adapter)) same ((protection or access\$3) with (tag or bit or flag or byte))) same ((flush\$3 or discard\$3 or evict\$3 or castout or (write near2 back) or (copy near2 back or "copy-back" or dirty)) same (bit or flag))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 14:49

20	23	(((((address\$3 near5 (translat\$3 or convert\$3 or conversion or map\$4)) or tlb or atu or (translation near3 buffer)) same (interfac\$3 or bridge or adaptor or adapter)) same ((protection or access\$3 with (tag or bit or flag or byte))) same ((flush\$3 or discard\$3 or evict\$3 or castout or (write near2 back) or (copy near2 back or "copy-back" or dirty)) same (bit or flag))) and (@ad<=19991217 or @rlad<=19991217)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 14:49
15	41	(interfac\$3 or bridge or adaptor or adapter) and ((((((flush\$3 or discard\$3 or evict\$3 or castout or (write near2 back) or (copy near2 back or "copy-back")) same (bit or flag)) same ((protection or access\$3 with (tag or bit or flag or byte))) same ((address\$3 near5 (translat\$3 or convert\$3 or conversion or map\$4)) or tlb or atu or (translation near3 buffer))) and ((711/3.ccls. or 711/133-136.ccls. or 711/144-145.ccls. or 711/152.ccls. or 711/159-160.ccls. or 711/163.ccls. or 711/205-207.ccls. or 711/221.ccls.) or (710/62-63.ccls. or 710/72-74.ccls. or 710/306.ccls. or 710/309.ccls. or 710/311-312.ccls. or 710/313.ccls. or 710/315.ccls.) or 709/250.ccls. or 370/465.ccls.)) and (@ad<=19991217 or @rlad<=19991217))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 16:15
23	115	cameron-donald\$.in. or berry-frank\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 16:18
24	1	(cameron-donald\$.in. or berry-frank\$.in.) and ((flush\$3 or discard\$3 or evict\$3 or castout or (write near2 back) or (copy near2 back or "copy-back" or dirty)) same (bit or flag))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 16:19
25	6	(cameron-donald\$.in. or berry-frank\$.in.) and ((protection or access\$3 or (read near2 only)) with (tag or bit or flag or byte))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/14 16:19